



ASSEMBLY INSTRUCTIONS

ITEM: MV-5962-90013-81 MISSION BAY WARDROBE


Please read all instructions carefully before starting the assembly process. Please be sure to unpack carefully as small parts may have come loose during travel from paradise. Helpful tip--do not fully tighten bolts until assembly is complete. It will make assembly easier

HARDWARE LIST

NO.	DRAWING	DESCRIPTION	SIZE	QTY
A		Screw	#8x1"	2pcs
B		Allen key	4mm	1PC
C		Wall plug	ø9.5x38mm	2PCS

PART LIST

NO.	DRAWING	DESCRIPTION	QTY
①		MISSION BAY WARDROBE	1pc
②		Adjustable Shelf	3pcs




Note: Anti-tip restraint is provided

Please follow the instructions enclosed with the pack

ASSEMBLY INSTRUCTIONS

ITEM: MV-5962-90013-81 MISSION BAY WARDROBE

Please read all instructions carefully before starting the assembly process. Please be sure to unpack carefully as small parts may have come loose during travel from paradise. Helpful tip--do not fully tighten bolts until assembly is complete. It will make assembly easier



Note: Anti-tip restraint is provided
Please follow the instructions enclosed with the pack




ASSEMBLY INSTRUCTIONS

ITEM: MV-5962-90013-81 MISSION BAY WARDROBE

Please read all instructions carefully before starting the assembly process. Please be sure to unpack carefully as small parts may have come loose during travel from paradise. Helpful tip--do not fully tighten bolts until assembly is complete. It will make assembly easier


Slide on installation



Slide on installation

The drawer is placed horizontally on the runners and pushed into place. The catch automatically locks the drawer into the slides for a secure fit.


Unlatching the drawer



Unlatching the drawer and removing it from the runners is just as easy.

Slightly push the drawer to open and after that press the catches of the runner or slides underneath the bottom panel while pulling the drawer at the same time. When a defined force is exceeded the drawer is released.

Height adjustment



The height adjustment facility integrated in the catch produces perfected front