



Parker Living
A Division of Parker House


Assembly Instructions

Bronco Rocker Recliner

BEFORE ASSEMBLY

Thank you for purchasing this quality product. This product has been designed for easy assembly and constructed for durability. Please take the time to read and follow the assembly instructions carefully.

Manual Rocker Recliner




Part List

When unpacking, please be careful not to discard any parts with the packaging. Before continuing, please make sure you have the following parts:

No	Description	Sketch	Qty
A	Body		1PC
B	Back Cushion		1PC
C	LAF Wing		1PC
D	RAF Wing		1PC
E	Recliner Release Handle		1PC
F	Screw		1PC
G	hex wrench		1PC


Step 1

1. Remove the RAF wing (D) and the hardware package from underneath the Body (A).
2. Remove the protective cardboard leg braces from the bottom of the Body (A). Then, carefully return the chair to its upright position and remove the carton and all protective packaging materials for use in the following assembly steps.




Step 2

Remove the LAF wing (C) from the back of the Body (A).




Step 3

Install the Back Cushion (B) onto the Body (A) by positioning the female metal receiver brackets over the male metal posts. Ensure that the female metal receiver brackets on both sides of the Back Cushion are aligned with the metal posts on the Body. Push the Back Cushion downward until both sides lock securely into place and an audible "click" is heard.




Step 4

Install the LAF Wing (C) and RAF Wing (D) by sliding wings in a downward motion along the side of the seat back to connect the brackets.




Step 5

Attach the handle to the shaft connected to the footrest release mechanism on the side of the chair. Secure the handle by inserting the screw into the pre-threaded hole and tightening it with an Allen wrench until the handle is firmly fixed in the correct operating position.




Step 6

1. Attach the flap to the seat frame by pulling the flap down, and pressing the bottom under the seat base, connecting the velcro.
2. Attach the flap to the edges of the LAF Wing and RAF Wing, then secure it by firmly pressing the Velcro fasteners together.



Step 7

Gently pull the handle backward to extend the footrest and recline the chair.



Function Display

